

### MISSISSIPPI STATE DEPARTMENT OF HEALTH

## **BUREAU OF PUBLIC WATER SUPPLY**

# CALENDAR YEAR 2009 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

190ma Water HSSOCiation
Public Water Supply Name

58000 List PWS ID #s for all Water Systems Covered by this CCR

confi	dence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCF be mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.
	se Answer the Following Questions Regarding the Consumer Confidence Report
. ]	Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
	Advertisement in local paper On water bills Other
	Date customers were informed: 6/1/10
	CCR was distributed by mail or other direct delivery. Specify other direct delivery methods:
	Date Mailed/Distributed: 6 //6//0
	CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)
	Name of Newspaper: The Pontotoc Progress
	Date Published: Lo //Lo //D
 J	CCR was posted in public places. (Attach list of locations)
	Date Posted: 6/1 //0
	CCR was posted on a publicly accessible internet site at the address: www
CER	<u>TIFICATION</u>
ne 10 consis	by certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in form and manner identified above. I further certify that the information included in this CCR is true and correct and is stent with the water quality monitoring data provided to the public water system officials by the Mississippi State attent of Health, Bureau of Public Water Supply.
10	e/Title (President, Mayor, Owner, etc.)
Jum	,
	Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215 Phone: 601-576-7518

570 East Woodrow Wilson Post Office Box 1700 Jackson, Mississippi 39215-1700

601/576-7634 • Fax 601/576-7931 • www.HealthyMS.com

Equal Opportunity In Employment/Service

576-1000

## 2010 JUN -8 PM 12: 46

### 2009 Annual Drinking Water Quality Report Algoma Water Association PWS#: 0580001 June 2010

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Gordo Formation, Eutaw Formation, and the McShan Formation Aquifers.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. The general susceptibility rankings assigned to each well of this system are provided immediately below. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Algoma Water Association have received a moderate susceptibility ranking to contamination.

If you have any questions about this report or concerning your water utility, please contact Ricky Jaggers at 662-568.2684. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the fourth Monday of each month at 7:00 PM at the Algoma Water Association office.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that we detected during for the period of January 1<sup>st</sup> to December 31<sup>st</sup>, 2009. In cases where monitoring wasn't required in 2009, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

PWS ID#	: 0580001		,	TEST RES	SULTS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	MCL	Likely Source of Contamination
Inorganio	c Contam	inants						
8. Arsenic	N	2006*	1	.5 - 1	ppb	n/a	50	Erosion of natural deposits; rund from orchards; runoff from glass

10. Barium	N	2006*	.141	.025141	ppm		2		Discharge of drilling wastes;     discharge from metal refineries;     erosion of natural deposits
13. Chromium	N	2006*	.9	.59	ppb		100	10	Discharge from steel and pulp mills; erosion of natural deposits
17. Lead	N	2008*	3	0	ppb		0	AL=	15 Corrosion of household plumbing systems, erosion of natural deposits
21. Selenium	N	2006*	6	2 - 6	ppb		50		50 Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines
Disinfection	on By-	Product	S						
81. HAA5	N	2007*	1.9	No Range	ppb	0		60 By-Product of drinking water disinfection.	
Chlorine	N	2009	.5	No Range	ppm	0	MDF	DRL = 4 Water additive used to control microbes	

<sup>\*</sup> Most recent sample. No sample required for 2009.

### Microbiological Contaminants:

(1) Total Coliforms. Coliforms are bacteria that are naturally present in the environment and are used as an indicator that other, potentially-harmful, bacteria may be present. Coliforms were found in more samples than allowed and this was a warning of potential problems.

As you can see by the table, our system had no violations in 2009, however in February of 2010 we received a chlorine monitoring violation for not taking the required number of chlorine residual samples. Also in April 2010, total coliform tested positive in 2 out of the three routine samples. We took the necessary measures to return the system to compliance and the re-samples showed they were bacteria free.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10 per sample. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

The Algoma Water Association works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

#### 2009 Annual Drinking Water Quality Report Algoma Water Association PWS# 0580001

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and sentences we deliver to you every day, for consistent possils to provide you with a set in and dipsendable supply of defining water. We wontly you to understand the efforts we make to continually prove the water testimete proofs and protect our water resources. We are committed to resource the quality of your water source is from wells statisfy given the effort formation. Each remaining and the RCMsp Formation Applies.

The source water description has been completed for our public water system to externing the destinal supposition of all destinations of the completed of the destination of the completed operation of the complete of the co

If you have any questions about this report or concerning your water utility, please contact Righty Leggers at 562-568.2694. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly schedule reports the contact the property of the property schedule reports. They are have not be sufficiently also please month at 7.00 PM at the Appria Water(Association office.

View countries maked for continuence in your distriction waster according to Fodgers and Stay lever. This table below test all of the contribution waster traveled in the product of source; in the December 3.7 you. (In case where members waster traveled on 2009, the table reflects the most preced of source; in the December 3.7 you.) (In case where members waster traveled on the sufficience of lead or inderigence), if discover another production of the sufficience of the sufficience of lead or inderigence, if discover another production of the sufficience of the sufficience of lead or inderigence, if the sufficience of sufficience or inderigence of sufficience or contamination is sufficient. In the sufficience of the sufficience of the sufficience or sufficience

in this sable you will find many terms and abpreviations you might not be familiar with. To help you better understand these terms we've provided the following defaultors.

Action Layal: the concentration of a contuminant which, if exceeded, triggers treatment or effer requirements which a water systemus follows

Maximum Contemporal Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contemporal that is allowed in drinkin water. MCLs are set as along to the MCLQs as leasible using the bost available treatment locatorlogy.

Maximum Contaminant Livel Goal (MCLQ) - The "Goal"(MCLG) is the level of a contaminant in dirinking water below which there is a known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Passitual Distribution: Level (MRDL) — The highest level of a distribution aboves in drinking water. There is convincing evidence that addition of a deinfectant is necessary for control microbial contaminants.

evidence that addition of a Camfectant is necessary for control microval contaminants.

Maximum Residual Disiglectant Level Goal (MRDLG) — The level of a direking water disinfectant below which there is no known of

PWS ID#: Contaminant	Violetion Y/N		Lovel Delected	Range of Detects or # of Semples Exceeding MCLIACL	Unit Measurement	<b>W</b> CLG	HCL	Likely Source of Contamination
Inorganie	Contan	inants					100	
B. Arsenic	н	2006*	1	5-1	ppb	rva	*	Erpsion of natural deposits; runc from orchards; runoff from glass and electronics production waste
10 Barken	7"	20081	165	.028141	ppm 1/51	2	2	Discharge of driving wastes; discharge from metal refinishes; erosion of natural deposits
13. Chromam	H.	20061	.9	.59	ppb	300	190	Discharge from steel and pulp mits: erosion of natural decosits
17 Leed	la la	2008*	3	0	ppb	0	AL=18	Corregion of household plumbing systems, erosion of natural decosits.
21, Selentum	"	2006*	0	2 - 6	Bhp	<b>50</b>	50	Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines
Disinfecti	on By-P	roducts						
81 HAAS	IN I	2007	19 10	Rance	ppò	0		Product of drinking water intertion.

Most recent sample, No sample required for 2009

All Privilegacia Contaminator.

(1) Total Coliform: Coliform are bacteria that are naturally present in the construent and are used as an indicator (sai other, potentially-harmful, bacteria may be posteric Coliform; were found in more samples than allowed and this was a warring of potential problems.

As you can see by the table, our system had no yidelatons in 2009, however in February of 2010 we meshed a obtaine monitorin vocation for not learn give received number of orbitine residue samples. Also in pair 2010, but continued posterin 5 and of the trues muchos samples. We took the necessary measures to return the system to complaining and the re-samples showed they were bactule from.

We are required to monitor your dishing water for apecido constituents on a monthly basis. Results of register monitoring are an injustor of whether is not our dishing water meets heath, standards in an effort to graze applains complete as monitoring recurrents. MOSH may reclies systems of any missing sumples prior to the year of of the completence period.

If present, develved legals of lead can course existinal health problem, supposely for prograph women and young stables. Lead on soliding weeks is providing from patients and components associated with sortent least on it in the problem. Lead on soliding existing is provided from patients and components associated with sortent least and immediately considerable controlled to the controlled on the controle

As sources of disease with the management of the properties of the second properties of the seco

Some paper, may be your unknown for contaminate in distinct what the power projection, termino concentrated patients even has personal with quarter undergoing interministings, preferent which was because in a personal with quarter undergoing interministings, preferent which has been designed on other termina system governs, some abover, see the first term to perform a first monitoring of the first terministic contaminates are proposed on the contaminate of the project of the proje

The Algorite Water Association works around the clock to provide top quality water to every top. We sak that all our customers help us

Algoma Country Store Algoma Post Office Algoma Water Assn.